

Docket No. 205007US2

IN RE APPLICATION OF: Mitsuhiro NADA

SERIAL NO: 09/845,179

FILED: May 1, 2001

FOR: ABNORMALITY DIAGNOSTIC SYSTEM AND ABNORMALITY DIAGNOSTIC DATA STORING METHOD



IFW  
3661

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313

SIR:

Transmitted herewith is an amendment in the above-identified application.

- ☒ No additional fee is required
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.
- ☐ Additional documents filed herewith:

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	51	MINUS	51	0	x \$18 =	\$0.00
INDEPENDENT	6	MINUS	6	0	x \$84 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$280 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of \$0.00 is attached.
- ☐ Credit card payment form is attached to cover the fees in the amount of \$0.00
- ☒ Please charge any additional Fees for the papers being filed herewith and for which no check or credit card payment form is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- ☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

Robert T. Pous

Registration No. 29,099


Customer Number

22850

Tel. (703) 413-3000  
Fax. (703) 413-2220  
(OSMMN 05/03)

Ronald A. Rudder, Ph.D.

Registration No. 45,618



DOCKET NO.: 205007US2

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :  
MITSUHIRO NADA : EXAMINER: TRAN, D.  
SERIAL NO: 09/845,179 :  
FILED: MAY 1, 2001 : GROUP ART UNIT: 3661  
FOR: ABNORMALITY DIAGNOSTIC :  
SYSTEM AND ABNORMALITY  
DIAGNOSTIC DATA STORING  
METHOD

AMENDMENT UNDER 37 C.F.R. §1.111

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action dated June 29, 2004, please amend this application as follows:

**Amendments to the Claims** begin on page 2 of this paper.

**Remarks/Arguments** begin on page 12 of this paper.